

Oferta Sisteme - 11 Decembrie 2017

Eight Core, USB 3.0, SATA 3, 4 GB RAM, SSD

Placa de baza GA-H110M-DS2, H110, DualDDR4-2133, SATA3, D-Sub, mATX > Gigabyte | GA-H110M-DS2 | Intel | 1151 | H110 | Tip memorie DDR4 | Sloturi memorii 2 | Memorie maxima 32 GB | 1 x PCI Express 3.0 x16 | 2 x PCI Express 2.0 x1 | Interfete SATA3 4 | Numar canale 7.1 | Realtek ALC887 codec | 1 x 10/100/1000 Mbit/s | 4 x USB 3.0 | 6 x USB 2.0 | 1 x HDMI | VGA | Micro ATX | Nou

Procesor Celeron G3900 > Intel | BX80662G3900 | Celeron | 2.8 GHz | Nucleu Skylake | Numar nuclee 2 | 1151 | 14 nm | 51 W | Cache Level 2 512 KB | Cache Level 3 2 MB | Grafica integrata | Intel HD Graphics 510 | Cooler Inclus Da | Nou

Memorie RAM DDR4 ValueSelect 4GB 2133MHz CL15 1.2V, PC417000 > DDR4, 2133MHZ 4GB 1x288 DIMM 1.20V, Unbuffered, 15-15-15-36

SSD 56GB SSDSC2BW056H601 > Producator: Intel Cod produs: SSDSC2BW056H601 Interfata: SATA-III Scriere max.: Pana la 490 MB/s Citire max.: Pana la 540 MB/s Capacitate: 56 GB Controller: SandForce SF-2281

Carcasa CASE 500W DC610 > Carcasa Delux Mid Tower DC610 500W (sursa pozitionata sus) ATX, vent: spate 1 x 12cm (optional), 2x USB2.0, audio, dimensiuni: 370*175*405mm, negru

Pret sistem: **1042.91 LEI**



Eight Core, USB 3.0, SATA 3, 4 GB RAM, HDD 1000 Gb, DVD-RW

Placa de baza GA-H110M-S2, H110, DualDDR4-2133, SATA3, D-Sub, mATX > GIGABYTE Main Board Desktop INTEL H110 (Socket LGA1151,2xDDR4,VGA,1xPCIEX16/2xPCIEX1,USB3.0/USB2.0, 4xSATA III,LAN) micro ATX retail

Procesor Celeron G3900 > Intel | BX80662G3900 | Celeron | 2.8 GHz | Nucleu Skylake | Numar nuclee 2 | 1151 | 14 nm | 51 W | Cache Level 2 512 KB | Cache Level 3 2 MB | Grafica integrata | Intel HD Graphics 510 | Cooler Inclus Da | Nou

Memorie RAM 4GB 2133MHz DDR4 CL15 UDIMM 1.2V > 4GB DDR4 2133 MT/S PC4-17000 CL15 SRX8 UDIMM 288PIN

Hard-disk HDD 1TB WD BLUE 64MB S-ATA3 7200RPM WD10EZEX > Western Digital | WD10EZEX | 1000 GB | SATA3 | 7200 RPM | 64 MB | 3.5

Unitate Optica DVDRW GH24NSD1 24x SATA without Software, Black, Bulk > LG | GH24NSC0 | SATA | Negru | Interna | Viteza rescriere maxima CD 24 x | Bulk

Carcasa E MV887 > Carcasa Delux Mid Tower MV887 500W ATX vent optionale: spate 1 x 8cm; 2x USB, sunet AC'97 negru

Pret sistem: **1052.27 LEI**



Eight Core, USB 3.0, SATA 3, 4 GB RAM, HDD 1000 Gb

Placa de baza GA-H110M-S2, H110, DualDDR4-2133, SATA3, D-Sub, mATX > GIGABYTE Main Board Desktop INTEL H110 (Socket LGA1151,2xDDR4,VGA,1xPCIEX16/2xPCIEX1,USB3.0/USB2.0, 4xSATA III,LAN) micro ATX retail

Procesor Pentium G4400 > Intel | BX80662G4400 | Pentium Dual-Core | 3.3 GHz | Nucleu Skylake | Numar nuclee 2 | 1151 | 14 nm | 54 W | Cache Level 2 512 KB | Cache Level 3 3072 KB | Grafica integrata | HD 510 | Cooler Inclus Da | Nou

Memorie RAM KS DDR4 4GB 2400 HX424C15FB/4 > Kingston | HX424C15FB/4 | HyperX FURY Black | single | 4 GB | DIMM | DDR4 | 2400 MHz | 1.2 V | CL15 | Nou

Hard-disk 1TB SATA 3, 32MB 7200rpm > Toshiba | DT01ACA100 | 1000 GB | SATA3 | 7200 RPM | 32 MB | 3.5 inch | Nou

Carcasa RACING > Segotep Racing, SPCC Steel ATX Mid Tower, fara sursa, interior vopsit negru, 2x5.25

Sursa Power Supply ZM600-GSII 600W > Sursa Zalman 600W, ZM600-GS II, EFF 84%, Active PFC, ATX 12V v2.3, 12cm fan, Dual Forward converter, negru

Pret sistem: **1263.56 LEI**



Eight Core, USB 3.0, SATA 3, 4 GBx2 RAM, HDD 1000 Gb, DVD-RW, Tastatura

Placa de baza GA-H110M-DS2, H110, DualDDR4-2133, SATA3, D-Sub, mATX > Gigabyte | GA-H110M-DS2 | Intel | 1151 | H110 | Tip memorie DDR4 | Sloturi memorii 2 | Memorie maxima 32 GB | 1 x PCI Express 3.0 x16 | 2 x PCI Express 2.0 x1 | Interfete SATA3 4 | Numar canale 7.1 | Realtek ALC887 codec | 1 x 10/100/1000 Mbit/s | 4 x USB 3.0 | 6 x USB 2.0 | 1 x HDMI | VGA | Micro ATX | Nou

Procesor Pentium G4400 > Intel | BX80662G4400 | Pentium Dual-Core | 3.3 GHz | Nucleu Skylake | Numar nuclee 2 | 1151 | 14 nm | 54 W | Cache Level 2 512 KB | Cache Level 3 3072 KB | Grafica integrata | HD 510 | Cooler Inclus Da | Nou

Memorie RAM DDR4 ValueRAM 4GB 2133MHz CL15 1.2V, Single rank, PC417000 > Kingston | KVR21N15S8/4 | 4 GB | DIMM | DDR4 | 2133 MHz | CL15

Hard-disk HDD 1TB WD BLUE 64MB S-ATA3 7200RPM WD10EZEX > Western Digital | WD10EZEX | 1000 GB | SATA3 | 7200 RPM | 64 MB | 3.5

Unitate Optica iHAS122-14 > Unitate optica interna DRW LiteOn iHAS120-04 22x, SATA, Bulk, negru

Carcasa CASE 500W DC610 > Carcasa Delux Mid Tower DC610 500W (sursa pozitionata sus) ATX, vent: spate 1 x 12cm (optional), 2x USB2.0, audio, dimensiuni: 370*175*405mm, negru

Tastatura TASTATURA KB-110X PS2 BLACK 31300710100 > Tastatura Genius KB-110X, cu fir, US layout, neagra, PS/2

Pret sistem: **1423.10 LEI**



Griviței 0268425268
nr. 49, Brașov 0368401197

Calea București 0368402531
nr, 78A, Brașov 0733665867

shortcutcomputer.ro

calculatoare | componente | rețea | imprimante | servicii

SHORTCUT
computer



Luni-Vineri 08-20
Sâmbătă 09-13

Eight Core, USB 3.0, SATA 3, 4 GB RAM, HDD 1000 Gb, DVD-RW

Placa de baza MB INTEL H110 H110M PRO-VD > Placa de baza MSI Socket LGA1151, H110M PRO-VD, Intel H110, 2*DDR4 2133MHz, 1*VGA, 1*DVI, 1*PCIEx16, 2*PCIEx1, 4*SATAIII, 8CH, GigabitLAN, 4*USB3.0, 6*USB2.0, mATX

Procesor Intel Core i3-6300 Processor > Intel | BX80662I36300 | Core i3 | 3.8 GHz | Numar nuclee 2 | 1151 | 14 nm | 51 W | Cache Level 2 512 KB | Cache Level 3 4096 KB | Grafica integrata | HD 530 | Cooler Inclus Da | Nou

Memorie RAM DDR4 ValueSelect 4GB 2133MHz CL15 1.2V, PC417000 > DDR4, 2133MHZ 4GB 1x288 DIMM 1.20V, Unbuffered, 15-15-15-36

Hard-disk 1TB SATA 3, 32MB 7200rpm > Toshiba | DT01ACA100 | 1000 GB | SATA3 | 7200 RPM | 32 MB | 3.5 inch | Nou

Unitate Optica DVDRW GH24NSD1 24x SATA without Software, Black, Bulk > LG | GH24NSC0 | SATA | Negru | Interna | Viteza rescriere maxima CD 24 x | Bulk

Carcasa CASE 500W DC610 > Carcasa Delux Mid Tower DC610 500W (sursa pozitionata sus) ATX, vent: spate 1 x 12cm (optional), 2x USB2.0, audio, dimensiuni: 370*175*405mm, negru



Pret sistem: **1735.14 LEI**

Quad Core, USB 2.0, SATA 3, 8 GB RAM, SSD 240 Gb, DVD-RW, Tastatura

Placa de baza Intel | 1151 | B250 > Asus | PRIME-B250M-K | Intel | 1151 | B250 | Tip memorie DDR4 | Sloturi memorii 4 | 2400/2133 MHz | Memorie maxima 64 GB | 1 x PCI Express 3.0 x16 | 2 x PCI Express 3.0 x1 | Interfete SATA3 6 | Numar canale 8 | 10/100/1000 Mbit/s | 6 x USB 3.0 | 6 x USB 2.0 | 1 x DVI | 1 x VGA | mATX | Nou

Procesor Core i5-7400, Quad Core, 3.00GHz, 6MB, LGA1151, 14nm, 65W, VGA, BOX > Intel | BX80677I57400 | Core i5 | 3 GHz | Nucleu KabyLake | Numar nuclee 4 | 1151 | 14 nm | 65 W | Cache Level 2 4 x 256 KB | Cache Level 3 6 MB | Grafica integrata | Intel HD 630 | Cooler Inclus Da | Nou

Memorie RAM KS DDR4 8GB 2400 HX424C15FB2/8 > Kingston | HX424C15FB2/8 | HyperX FURY Black | single | 8 GB | DIMM | DDR4 | 2400 MHz | 1.2 V | CL15 | Nou Gaming

SSD | SUV400S37/240G | 240GB UV400 SSD SATA3 550R 490W 2.5inch 7mm | 240 GB | SATA 3 | 2.5 i... > Kingston | SUV400S37/240G | 240GB UV400 SSD SATA3 550R 490W 2.5inch 7mm | 240 GB | SATA 3 | 2.5 inch | 490 MB/s | 550 MB/s

Unitate Optica | DRW-24D5MT/BK/B/AS | SATA | Negru | 8 x | Viteza scriere maxima CD 48 x | Viteza citire ma... > Asus | DRW-24D5MT/BK/B/AS | SATA | Negru | 8 x | Viteza scriere maxima CD 48 x | Viteza citire maxima DVD 16 x | Viteza citire maxima CD 48 x | Viteza rescriere maxima DVD 8 x | Viteza rescriere maxima CD 24 x | Bulk | Nou

Carcasa CASE 450W DC610 > Carcasa Delux Mid Tower DC610 450W (sursa pozitionata sus) ATX, vent: spate 1 x 12cm (optional), 2x USB2.0, audio, dimensiuni: 370*175*405mm, negru

Tastatura TASTATURA KB-110X PS2 BLACK 31300710100 > Tastatura Genius KB-110X, cu fir, US layout, neagra, PS/2



Pret sistem: **2216.52 LEI**

Quad Core, USB 2.0, SATA 3, 8 GB RAM, SSD 240 Gb, DVD-RW, Tastatura

Placa de baza Intel | 1151 | B250 > Asus | PRIME-B250M-K | Intel | 1151 | B250 | Tip memorie DDR4 | Sloturi memorii 4 | 2400/2133 MHz | Memorie maxima 64 GB | 1 x PCI Express 3.0 x16 | 2 x PCI Express 3.0 x1 | Interfete SATA3 6 | Numar canale 8 | 10/100/1000 Mbit/s | 6 x USB 3.0 | 6 x USB 2.0 | 1 x DVI | 1 x VGA | mATX | Nou

Procesor Core i5-7400, Quad Core, 3.00GHz, 6MB, LGA1151, 14nm, 65W, VGA, BOX > Intel | BX80677I57400 | Core i5 | 3 GHz | Nucleu KabyLake | Numar nuclee 4 | 1151 | 14 nm | 65 W | Cache Level 2 4 x 256 KB | Cache Level 3 6 MB | Grafica integrata | Intel HD 630 | Cooler Inclus Da | Nou

Memorie RAM KS DDR4 8GB 2400 HX424C15FB2/8 > Kingston | HX424C15FB2/8 | HyperX FURY Black | single | 8 GB | DIMM | DDR4 | 2400 MHz | 1.2 V | CL15 | Nou Gaming

SSD | SUV400S37/240G | 240GB UV400 SSD SATA3 550R 490W 2.5inch 7mm | 240 GB | SATA 3 | 2.5 i... > Kingston | SUV400S37/240G | 240GB UV400 SSD SATA3 550R 490W 2.5inch 7mm | 240 GB | SATA 3 | 2.5 inch | 490 MB/s | 550 MB/s

Unitate Optica | DRW-24D5MT/BK/B/AS | SATA | Negru | 8 x | Viteza scriere maxima CD 48 x | Viteza citire ma... > Asus | DRW-24D5MT/BK/B/AS | SATA | Negru | 8 x | Viteza scriere maxima CD 48 x | Viteza citire maxima DVD 16 x | Viteza citire maxima CD 48 x | Viteza rescriere maxima DVD 8 x | Viteza rescriere maxima CD 24 x | Bulk | Nou

Carcasa CASE 450W DC610 > Carcasa Delux Mid Tower DC610 450W (sursa pozitionata sus) ATX, vent: spate 1 x 12cm (optional), 2x USB2.0, audio, dimensiuni: 370*175*405mm, negru

Tastatura TASTATURA KB-110X PS2 BLACK 31300710100 > Tastatura Genius KB-110X, cu fir, US layout, neagra, PS/2



Pret sistem: **2216.52 LEI**

Griviței 0268425268
nr. 49, Brașov 0368401197

Calea București 0368402531
nr, 78A, Brașov 0733665867

shortcutcomputer.ro



Quad Core, USB 3.0, SATA 3, Placa video 4 GB GDDR5 , 8 GB RAM, HDD 1000 Gb

Placa de baza GA-H110M-S2, H110, DualDDR4-2133, SATA3, D-Sub, mATX > GIGABYTE Main Board Desktop INTEL H110 (Socket LGA1151,2xDDR4,VGA,1xPCIEX16/2xPCIEX1,USB3.0/USB2.0, 4xSATA III,LAN) micro ATX retail
Procesor Core i5-7400, Quad Core, 3.00GHz, 6MB, LGA1151, 14nm, 65W, VGA, BOX > Intel | BX80677I57400 | Core i5 | 3 GHz | Nucleu KabyLake | Numar nucleu 4 | 1151 | 14 nm | 65 W | Cache Level 2 4 x 256 KB | Cache Level 3 6 MB | Grafica integrata | Intel HD 630 | Cooler Inclus Da | Nou
Memorie RAM ZE-DDR4-8G2400B > DIMM DDR4/2400 8192M ZEPPELIN (life time, dual channel) (ZE-DDR4-8G2400b)
Hard-disk 1TB SATA 3, 32MB 7200rpm > Toshiba | DT01ACA100 | 1000 GB | SATA3 | 7200 RPM | 32 MB | 3.5 inch | Nou
Placa video VGA AS RADEON RX 550 4GB GDDR5 RX550-4G > VGA PCIE16 RX 550 4GB GDDR5/RX550-4G ASUS
Pret sistem: **2286.40 LEI**



Quad Core, USB 3.0, SATA 3, Placa video nVidia 2 Gb GDDR3 128 Biti, 16 GB RAM, HDD 1000 Gb, SSD 240 Gb, DVD-RW, T

Placa de baza MB INTEL B150 B150M PRO-VDH > Placa de baza MSI Socket LGA1151, B150M PRO-VDH, Intel B150, 4*DDR4 2133MHz, 1*HDMI, 1*VGA, 1*DVI, 1*PCIEx16, 2*PCIEx1, 6*SATAIII, 1 *SATAExpress, 8CH, GigabitLAN, 6*USB3.0, 6*USB2.0, mATX
Procesor Core i5-7400, Quad Core, 3.00GHz, 6MB, LGA1151, 14nm, 65W, VGA, BOX > Intel | BX80677I57400 | Core i5 | 3 GHz | Nucleu KabyLake | Numar nucleu 4 | 1151 | 14 nm | 65 W | Cache Level 2 4 x 256 KB | Cache Level 3 6 MB | Grafica integrata | Intel HD 630 | Cooler Inclus Da | Nou
Memorie RAM DDR4 Vengeance LPX 2x8GB 2400MHz 1.2V > DDR4, 2400MHz 16GB 2 x 288 DIMM, Unbuffered, 16-16-16-39, Vengeance LPX Black Heat spreader, 1.20V, XMP 2.0
Hard-disk HDD 1TB WD BLUE 64MB S-ATA3 7200RPM WD10EZEX > Western Digital | WD10EZEX | 1000 GB | SATA3 | 7200 RPM | 64 MB | 3.5
SSD | SUV400S37/240G | 240GB UV400 SSD SATA3 550R 490W 2.5inch 7mm | 240 GB | SATA 3 | 2.5 i... > Kingston | SUV400S37/240G | 240GB UV400 SSD SATA3 550R 490W 2.5inch 7mm | 240 GB | SATA 3 | 2.5 inch | 490 MB/s | 550 MB/s
Unitate Optica iHAS122-14 > Unitate optica interna DRW LiteOn iHAS120-04 22x, SATA, Bulk, negru
Placa video | N730-2GD3V2 | Nvidia Geforce GT 730, 2048MB, DDR3, 128 Bit | nVidia | Frecventa procesor... > MSI | MSI Nvidia Geforce GT 730, 2048MB, DDR3, 128 Bit | nVidia | Frecventa procesor 700 MHz | 2048 MB | DDR3 | Bus memorie 128 bit | Frecventa memorie 1800 MHz | VGA | DVI | HDMI | PCI Express x16 2.0 | Sloturi ocupate 2 | Suport DirectX DirectX® 12 | HDCP Ready | Nou
Carcasa TESSERACT BF > Tip carcasa ATX Middletower Placi baza compatibile Micro ATX, ATX Pozitionare sursa Jos Culoare Negru Bays 5.25 3 Bays 3.5 interne 4 Bays 2.5 interne 3 Dimensiuni 472 x 210 x 454 mm Greutate 5.1 Kg Sloturi expansiune x7 Altele SECC Steel Interior vopsit in negru Conectori USB 2.0 1 USB 3.0 1 3.5 mm jack 1 Ventilatoare Suportate 4 Ventilatoare incluse 1 Detalii Ventilatoare Optionale Tavan 2x 120 mm Lateral 2x 120 mm
Tastatura TASTATURA KB-110X PS2 BLACK 31300710100 > Tastatura Genius KB-110X, cu fir, US layout, neagra, PS/2
Sursa EP-700 BR-II HPG-700BR-H12S > 700W | Element Bronze Series | ATX 2.3 | eficienta 80% | certificata 80+ Bronze | ventilator 120 mm | single rail 12V | cabluri native (1x ATX 24p, 1x ATX 12V, 4x PCIe, 3x HDD, 6x SATA, 1x FDD) | protectii UVP OVP OPP SCP
Pret sistem: **3535.00 LEI**

